2026-2027


SINCE 1968


ADS Laminaire

More than 50 Years 50 ANS

CONSUMABLES & PPE













www.adslaminaire.com

"For all our products, we have carefully selected the best materials to ensure your satisfaction and safety."

Equipment selection according to ISO 1464 classes

	ISO 4 and below.	ISO 5	ISO 6	ISO 7	ISO 8
GLOVES	☑	☑	☑	☑	☑
CAP	☑	☑	☑	☑	☑
OVERSHOES	☑	☑	☑	☑	☑
COAT	☑	☑	☑	☑	☑
OVERALL	☑	☑	☑		
MASKS	☑	☑	☑		
STICKY MATS	☑	☑	☑	☑	☑
BEARD COVER	☑	☑	☑	☑	☑
overboots	☑	☑	☑		

SUMMARY

Presentation

Company / Certifications and Standards.....4

Commercial organization 5

Utilities / Consumables Single Use /

Visitor .....6 Peelable

Mats .....7 Wiping

Cloths 8/9/10

SWABS / Swabs 11

Overshoes 12/13

Disposable/washable gowns 14/15

Coveralls 16

Charlotte / Mask / Beard Cover 17/18

Miscellaneous cleanroom products: Table / Vacuum

cleaner / Stationery .....19 Cleaning products /

Brooms 20

Gloves 21/22

Stool / Chair 23

ADS LAMINAIRE has been designing, manufacturing and marketing laminar flow equipment since 1968. It was the first French company specializing in this field.

A family-owned company with a human touch, it quickly counted among its clients major names in cutting-edge industry and has managed to establish itself in the international market.


In order to offer a complete range of products to its customers, ADS LAMINAIRE has also developed other activities since 1973, in the marketing of a range of consumables and utilities in clean environments.
In 1981, ADS began manufacturing and marketing air filters.

In 2009, a commercial structure was opened in Chicago in order to cover the American market.

In 2022, we opened our agency in Rabat, Morocco.
In 2024, the US office will open in Brooklyn (NY).

Our after-sales service, responsible for maintenance as well as checks and validations, has the capacity to intervene quickly throughout the French and European territory.

Over the years, she has gained a certain notoriety thanks to her experience, but also thanks to the quality and seriousness of her work and of the different services it offers to its customers.



Certifications and standards:

Certified ISO 9001:2015 since 2008 for the following activities:
Design, manufacturing, sales, maintenance and testing of controlled-dust and laminar flow enclosures, chemical fume hoods, and distribution of filters and cleanroom utilities

NF 095 label since 1997

ISO 14644 standard:

Definition and Classification of Air Particulate Cleanliness.

NF EN 12469 standard:

Biotechnology: Performance criteria for positions
Microbiological Safety

EN 1822-1 standard:
High-efficiency air filters and
Very low penetration air filters (HEPA and ULPA)

ISO 16690 standard:


NF EN 12128 standard:

Research, Development and Analysis Laboratory

Standard XPX 15-203 / EN 14175:
Sorbonne laboratory

NFX 15-211 standard:
Recirculating fume hood

Commercial organization



Utilities/Consumables Manager: Derya BULUT – +33 1 48 17 85 27 / +33 6 60 56 73 04
derya.bulut@adslaminaire.com

Sales Director: Yoel BIJAOUI - +33 6 62 90 57 32
yoel.bijaoui@adslaminaire.com

Inside Sales Representative:
Carine FONTAINE - +33 1 48 17 85 22 / +33 6 62 91 10 74
carine@adslaminaire.com

Equipment delivery/installation:
Guillaume BAZIN - +33 6 66 38 78 73
guillaume.bazin@adslaminaire.com

After-sales service
Nora HASSAINE - 01 48 17 85 12
nora.hassaine@adslaminaire.com

Export / CEE
Warda LOUADJED - 01 48 17 85 29
warda.louadjed@adslaminaire.com

Accounting:
Nathalie BERNARD - +33 1 48 17 85 18
compta@adslaminaire.com

Quality Manager: Marie BASSENE
marie.bassene@adslaminaire.com

Purchasing Department: Abdoullah NAIT MHAMED - +33 1 48 17 85 19 naitmhamed.abdoullah@adslaminaire.com

Loukman MOHAMED
Engineering Office - +33 1 48 17 85 17
loukman.mohamed@adslaminaire.com

United States: Mendy Narboni - (917) 800 8556 mendy.narboni@adslaminaire.com
Nicolas Babel - (323) 994 2623
nicolas.babel@adslaminaire.com

Morocco (Rabat Agency)
Reda JBILOU - +212 6 61 38 27 57
reda.jbilou@adslaminaire.com

Single use / Visitor *



Our company offers a visitor kit, including:
Ref: KIT_VISITEUR_2

• **Round Charlotte: Qty 1**
Ref XYHB01
Made of non-woven polypropylene fabric, white color, diameter 21 "
See product page 17



• **Polypropylene blouse: Qty 1**
Ref XYBL012-40
With pockets, elasticated cuffs, and snap button closure.

White / Sizes M to XXL
See product page 14



• **Masks with elastic: Qty 1**
Ref XYFM01-3E
Blue color
See product page 18



• **Overshoes: Qty 1 pair**
Ref XYFSC 18-M
Polyethylene material
Blue color. Size 15 x 41 cm.
See product page 12

* This kit is available in several sizes — please contact the sales department for more information.

STICK MATS

Peelable mats placed at the entrance to controlled environment areas have become essential equipment. Their effectiveness is widely recognized in many sectors such as microelectronics, aerospace, optics, the pharmaceutical industry, and hospital environments.

A sticky mat is made of specially treated polyethylene sheets that trap contaminants carried on the soles of staff shoes or the wheels of trolleys, thus helping to limit the introduction of particles into sensitiveareas



As soon as the top sheet is contaminated, simply remove it and you will discover a new, clean sheet ready for use.
The sheets are numbered in descending order from 30 to 1 in order to plan for the replacement of the mat.

References	Color	Dimensions (mm)	Packaging
ADS 1836-8	WHITE Or BLUE	457 x 900	8 CARPETS OF 30 SHEETS
ADS 1845-8		457 x 1150	
ADS 2645-8		660 x 1150	

Wiping cloths

Particle-free cleaning and impeccable surface preparation are key success factors in the aerospace and industrial sectors. ADS Laminaire offers a complete range of high-quality wipes suitable for numerous applications, including wiping, routine maintenance, and final inspections.

We also offer our customers various packaging and personalization solutions, in order to best meet the specific needs of each use.

References	Uses	Packaging	Cleanliness classes
7-C30L-99L-00 	**Universal non-woven fabric,** composed of **55% cellulose / 45% polyester,** offering a **high capacity for absorbing aqueous liquids.** **Very low particle generation, low NVR and ions, economical** solution effectively limiting contaminants.	300 per bag Box of 14 sachets	ISO 5-8
7-C3E-99L-00 	**100% polyester non-woven fabric,** ideal for **cleaning and polishing sensitive surfaces.** **Highly absorbent,** free of chemical binders, **compatible with most cleaning solutions.** Perfectly suited for **lenses, optics, LCD screens and critical components.** **High purity with low NVR and ions.**	300 per bag Box of 8 sachets	ISO 5-8
7-C3E-99L-00 	**Highly absorbent multi-layer fabric,** composed of **cellulose and polypropylene.** The abrasion-resistant **outer polypropylene layers** protect the **inner cellulose layer** which captures and retains liquids. Ideal for **cleaning up acids and harmful liquids.** **Low generation of particles and extractable substances, solid, durable and highly absorbent** material .	100 per bag Box of 14 sachets	ISO 7-9

Wiping cloths

References	Uses	Packaging	Classes of cleanliness
WIP JR-1009LE 	**Universal woven fabric made of 100% polyester,** offering **very low particle generation.** Suitable for **dry and wet wiping, durable and absorbent.** Also available in a **validated sterile version.** Ideal for **cleaning components and equipment.**	150 per sachet Box of 10 sachets	ISO 8
WIP JR-0609 	**Universal non-woven fabric** composed of **55% cellulose / 45% polyester,** offering **high absorption of aqueous liquids.** Enables **effective contaminant reduction** with **very low particle generation.** An economical solution , with **low NVR and ions.**	300 per bag Box of 10 sachets	ISO 5-8
7-3400SE-99P-S00 	**100% polyester fabric with welded (optical) edges,** with **laser/ultrasonic sealed edges.** **Washed and packaged in an ISO 4 cleanroom ,** guaranteeing **ultra-cleanliness and very low levels of particles and fibers.** **Highly absorbent, durable and chemical resistant,** made from **high-density continuous yarn polyester mesh.**	150 per sachet Box of 10 sachets	ISO 4-8

Wiping cloths

References	Uses	Packaging	Cleanliness classes
WD 409 	ADS Laminaire – **100% polyester fabric with welded edges,** washed with DI water by reverse osmosis. It exhibits ultra-low levels **of extractables, ions, and NVR.** with **very low release of fibers and particles.** Extremely durable material.	150 per sachet Box of 10 sachets	ISO 5
ASEPOP1000 	Disinfecting wipes intended for **cleaning, pre-disinfection and contact disinfection** of non-invasive medical equipment, materials, instruments and devices. **Bactericidal, yeasticidal and virucidal action.**	100 per bag Box of 12 sachets	
6-LS-7030 	**Pre-impregnated polypropylene** wipes (23 × 28 cm), containing **70% isopropyl alcohol and 30% pure water.**	Cardboard of 24 pouches 30 wipes	ISO 5-8

Non-sterile products

Features	References Dimensions	Composition	Photo
Soft and non-abrasive swab, suitable for many industrial applications and cleanrooms. Manufactured, inspected and packaged under rigorous conditions to guarantee the integrity and cleanliness of the product.	**6 – S163 BIS** STEM : Length: 60 / Diameter: 2.2 HEAD : Length: 10 / Width: 3.2	- Stem: Acetal - Tip: 100% polyester	
	6 – S164 STEM : Length: 62 / Diameter: 2 HEAD : Length: 9 / Width: 2	- Stem: Acetal - Tip: 100% polyester	
Manufactured in a cleanroom to strict tolerances, using high-precision automated processes.	**CM-PS761** STEM : Length: 145 / Diameter: 3.2 HEAD : Length: 16.4 / Width: 6	- Upper: made of polypropylene - Tip: 100% polyester	
Large foam swab, suitable for industrial applications and cleanrooms requiring wide coverage. Manufactured, inspected and packaged under rigorous conditions to guarantee the integrity, purity and cleanliness of the product.	**CM-FS712** STEM : Length: 103.2 / Diameter: 5.1 HEAD : Length: 25 / Width: 10.5	- Upper: made of polypropylene - Nozzle: open-cell foam polyurethane	
The **SF-13ESD** swab incorporates a unique polymer offering **true conductivity** for **rapid dissipation of static electricity.** The handle is free of **additives and coatings.**	**6 – SF 13 ESD** STEM : Length: 65 / Diameter: 2 HEAD : Length: 17 / Width: 3	- Upper: made of natural nylon - Tip: antistatic hydrophilic foam	

Overshoes

• **Overshoes with raised studs:** Ref SU IL 6107
Non-slip polypropylene overshoes with a stitched PVC sole featuring anti-slip dots. Extra-large capacity thanks to its highly elastic band. Packaging: Carton of 3 plastic bags of 100 pieces each

That's 150 pairs per carton





• **Blue polyethylene overshoes:**
Ref XYFSC18-M

Disposable range, ideal for visitors / 15 x 41 cm
Packaging:
Carton of 20 bags of 10 rolls
10 pieces per roll, i.e., 1000 pairs/carton, 3 g per piece

• **White polypropylene overshoes:** Ref.: XYFSC02

Blue, rectangular, non-slip sole. Packaging: 50 pieces per bag

20 bags per carton, i.e. 500 pairs



Overshoes

• **Overboots:** Ref WEEPRO

Overboots with thick PVC sole and strong anti-slip properties.

Elasticated drawstring below the knee and tie support at the calf level

Color: White

Packaging: Cartons of 150 pairs





• **ESD overshoes:** Ref XYFSC01-NC

Polypropylene overshoes with elastic at the ankle and a sewn-in carbon band that connects to the ground.

Packaging:

Carton of 10 bags of 100 pieces

500 pairs per carton / 16" / 40 x 16 cm / 40g

• **Polypropylene overshoes:**
Ref: XYFSC01-RM

Color: Blue

Size: 16" (40 x 16 cm)

Packaging:

100 pieces per bag

10 bags per carton, i.e. 500 pairs



COAT



•Polypropylene coat
Ref.: XYBL012-40

Non-woven polypropylene, white - Shirt collar
Snap button closure - Elasticated cuffs CE Category I - Sizes **M to XXL**
Packaging: 50 units
Individual sachet

Washable COAT

•Coat100% polyester:
Ref.: BLS0047AB

Fabric (antistatic) 99% polyester 1% carbon. Height 115 cm finished shoulder
Long, set-in sleeves with ribbed cuffs. Mandarin collar.

Middle back neck attachment

Front closure with 9 sets of snaps, including 2 under the neckline

Stitched facing, double needle construction
Heat fixing: Temperature: 220°C
Time: 12s



Disposable gowns

Size code	Ref.
S	1
M	2
L	3
XL	4
XXL	5



•**Ultima coat with zipper:** Ref.: BM30X -› BM303 (L) / BM304 (XL) / BM305 (XXL)
Polypropylene + microporous PE film
Zip closure with jersey cuffs. Mandarin collar - No pockets

White color

CE Category I - Sizes **L to XXL** Packaging: 50 units
Individual sachet



•**Tyvek coatwith zipper closure:** Ref.: BT 8X -> BT 83 (L) / 84 (XL) / 85 (XXL)

Tyvek non-woven fabric
White color - Mandarin collar

Elasticated cuffs - CE Category I zipper closure - Sizes **L to XXL** - Packaging: 25 units

Disposable Coveralls



• **Ultima 5/6 suit:**
Ref.: WEEPRO WL-P-0X
WL-P-02 (M) / WL-P-03 (L) / WL-P-04 (XL) / XL-P-05 (XXL)
Microporous non-woven fabric, white color
3-piece hood - Double zip - Adhesive flap
Jersey cuffs - Elasticated waist and ankles
CE Category III Types 5 and 6 EN 1149-1 Sizes from **M to XXXL**
Packaging: Carton of 50 units, individual sachet



• **Tyvek Classic Xpert suit:**
Ref: CT22X -> CT221 (S) / CT222 (M) / CT 223 (L) / CT224 (XL) / CT 225 (XXL)
White color - Stitched model Outdoor covers
Elasticated hood, waist, ankles and cuffs. Flap over zip fastening.

CE Category III Types 5 and 6 EN 1073-2: 2002
EN 14126: 2003- EN 1149-5: 2008
Sizes **S to XXXL**
Packaging: Carton of 25 units, individual sachet



• **Tyvek Industry suit:** Ref. : CT 5X ->
CT51 (S) / CT52 (M) / CT53 (L) / CT 54 (XL)
White - Sewn design, shirt collar, hood, elasticated
waist, ankles and cuffs, flap over zipper, CE Category III Type 5 and 6 EN 1073-2 EN 1149-1 –
Sizes **S to XL,** Packaging: Carton of 25 units, individual bag

Polypropylene is chemically non-reactive and generally considered biologically inert. It is known to be hypoallergenic and has been used for many years in the manufacture of articles intended to come into contact with the skin.

Charlottes



• **Clip-on bonnet:** Ref XYHM01-S Made of non-woven polypropylene fabric Colour: WHITE / Diameter: 21''

Packaging:

Carton of 10 bags, 100 pieces per bag, i.e. 1000 pieces



•**Round Cap:**Ref XYHB01 Made of non-woven polypropylene fabric Colour: WHITE / Diameter: 21''

Packaging:

Carton of 10 bags, 100 pieces per bag, i.e. 1000 pieces

Beard cover



• **Beard cover:** Ref.: XYHBE01-SW Made of non-woven polypropylene fabric, WHITE color / Diameter: 18''

Packaging: Carton of

10 sachets

100 pieces per bag, i.e., 1000 pieces

Protective glasses



• **Safety glasses:** Ref.: LUNV

Made of transparent polycarbonate

Scratch-resistant packaging:

10 dispenser boxes

10 pairs of glasses

Masks

• **Masks with elastic, 3-ply:**
Ref. XYFM01-3E, Blue
Packaging:
40 pieces per bag





• **Lace-up mask:** Ref.: XYFM01-3T98 Adjustable at the nose - Color: WHITE

Packaging:
Box of 20 dispenser boxes
50 masks per box

• **FFP2 mask**
Adjustable at the nose



Table



• **Stainless steel table**

-Professional stainless steel work table on casters

-External dimensions: 1400 x 700 x 905 mm (910 mm with casters)

-Robust, very high load capacity

-4 sturdy casters, 2 of which have brakes

-Lower shelf





Vacuum cleaner

• **Cleanroom vacuum cleaner with bag:** Ref.: GM 80 HEPA 13 or 14 filtration

Maximum noise level: 75 dB

Included tools: Crevice tool, extension tube, round brush, flexible nozzle, combination floor head, combination floor head with wheels. Operating radius: 10 m / Suction power: 20 kPa

Dustbin capacity: 6.25 liters. Dust collection: Bag.

Color: Silver / Airflow: 38 l/s / Cleaning method: Dry

Maximum motor power: 1200 Watts. Energy efficiency class: Class D.

Cord length: 7 m / Power: 1300 Watts / Weight: 5 kg

Stationery

• It should be noted that from ISO class 6 onwards, traditional papers are no longer suitable for use in controlled environments.

Our product range is fully cleanroom compatible: Papers

A4, Notebooks, Computer paper





Cleaning products



• **SURFASAFE**
Ref.: 2419326
Disinfectant spray: bactericidal, fungicidal, virucidal
Packaging:
Carton of 12 x 750ml spray bottles



• **DETERGENT DISINFECTANT**
Ref: FB SPRAY
Neutral disinfectant detergent spray: bactericidal, fungicidal, virucidal, yeasticidal, sporicidal



• **SURFANIOS Premium**
Ref.: 1917129
Premium detergent: surface disinfectant to be diluted
Packaging:
Carton of 500 sachets of 20 ml



• **LS Spray:**
Ref.: 6-LS7030VS-IPA-16B
Sterile, certified spray
70% Isopropyl Alcohol Packaging:

Carton of 6 x 1L spray bottles

Brooms



• **SPARK trapezoidal broom:**
Ref.: 0773000
Suitable for use in cleanrooms. 40 cm PVC surface with locking mechanism. Telescopic handle in grey aluminum. Colour: Blue – Sold individually





Telescopic brooms:

Ref.: IFH19

• **Structure and handle made of medical grade stainless steel,** autoclavable (ÿ 50 cycles).
• **Asymmetrical frame** for better coverage and cleaning of narrow spaces.

• **Offset fork** for easy access to high areas.

• **Ergonomic handles** for easier and more efficient cleaning.

Tube, round brush, flexible nozzle, combination floor head, combination floor head with wheels. Operating radius: 10 m / Suction power: 20 kPa

Use with our microfiber pads

From ISO class 7 onwards, it is advisable to use cleanroom gloves. This is primarily due to their double plastic packaging (cardboard is prohibited in cleanrooms).
All our cleanroom gloves are powder-free regardless of the material (latex, nitrile, vinyl).
The cuff length is longer, allowing it to cover the entire wrist and in some cases cover the sleeve of the blouse or overalls.

Cleanroom gloves

• **Vinyl gloves:** Ref.: GV-SB - Sizes S to XL. Gloves suitable for use in cleanrooms, Class ISO 5 according to ISO 14644.

Vinyl gloves allow for better dexterity than latex and nitrile gloves.
Packaging:
Double-wrapped bag containing 100 gloves





• **Latex gloves:** Ref.: GL-SB - Sizes S to XL. Gloves suitable for use in cleanrooms, Class ISO 5 according to ISO 14644.

Latex gloves conform perfectly to the shape of the hand thanks to their elasticity. This product is used for handling materials.
Packaging:
Double-wrapped bag containing 100 gloves

• **Nitrile gloves:** Ref.: GN-SB - Sizes S to XL. Gloves suitable for use in cleanrooms. Class ISO 5 according to ISO 14644.

Nitrile gloves have the same properties and uses as latex gloves, but without the properties
They are allergic. They are also less elastic than the latter.

Packaging:
Double-wrapped bag containing 100 gloves



Other Gloves*



• **Tyvek cuff:** Ref. : MT 4081
Color: WHITE / One Size Packaging:

Box of 100 pairs

• **Antistatic finger cots:**
Ref.: FINGER

Finger cot suitable for working in class ISO 5 according to ISO 14644. Finger cot 100% latex being semi-conductive, for electronic and optical use.
Color: Pink
Packaging:
720 pieces in double packaging





• **Isolator gloves (PSM Type 3)**
Several different compositions can be provided, each composition having its own mechanical and chemical properties.
Contact us.

Chairs



• ESD stool:
Ref 7EG 20EHLE 00 905
Chromed steel base with 5 arms and antistatic glides.
Chrome gas lift column for adjustable seat height from 560 to 800 mm.
Seat cushion. Comfort seat made of soft black antistatic polyurethane foam, inclined forwards.

Assembly designed to ensure perfect descent of electrical charges to the ground (resistivity test by the LCIE)
Comfortable and ventilated surface
Resistant to heavy use, easily adjustable



• White auditorium chair UCL350D:
Class 100 (ISO 5), ESD
Five-star base with casters. Includes a footrest.
Integrated filter in the chair. Adjustable seat height.

• Sitting-standing:
Ref 7KA 80YHFO 00 905
Horseshoe-shaped base made of steel coated with black PVC plastic.
Black gas lift column, inclined and fixed in rotation.
Adjustable seat height from 750 to 980 mm with riser.
Cylindrical seat in black soft polyurethane foam, with integrated handle.

Ergonomics and design, compact size





• Asynchronous Chairs:
Ref 7NG 40GBLP 00 905
-Chrome steel base with 5 arms and articulated glides.
-Adjustable seat height from 490 to 620 mm.
-Comfortable seat made of soft black polyurethane foam.
-Asynchronous tilt adjustment of the seat and backrest via a single lever.

-Backrest made of soft black polyurethane foam, adjustable in height.
-Comfortable and ventilated surface, abrasion resistant
-Adaptable to all postures, intensive use

Other chair models are available on request (ESD, with footrest, etc.)

ADS Laminar

Dust-free, sterile, laminar air

Utilities/Consumables Manager:
Derya BULUT +331 48 17 85 27

derya.bulut@adslaminaire.com



ADDRESS :

34 Rue Maurice de Broglie | ZI Les Mardelles
93600 Aulnay-Sous-Bois | France

Tel: 01 48 17 85 10 | Fax: 01 48 17 85 11

www.adslaminaire.com

info@adslaminaire.com